

Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs

5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146

www.gojirafc.com ● sales@gojirafc.com

Certificate of Analysis

Ammonium Citrate Dibasic ACS

Catalog Number:AC1002Lot Number:1214801CAS Number:3012-65-5

Synonym(s) Citric Acid Ammonium Salt Dibasic

 $\begin{tabular}{lll} \textbf{Molecular Formula:} & $C_6H_{14}N_2O_7$ \\ \textbf{Molecular Weight:} & 226.18 \\ \textbf{Storage:} & 15^{\circ}C - 30^{\circ}C \\ \textbf{Date of Manufacture:} & July 3, 2016 \\ \textbf{Retest Date:} & July 2, 2019 \\ \end{tabular}$

Test	Specification	Result
Appearance	White crystals	Conforms
Assay (Titration)	98.0 – 103.0%	100.38%
Identification	To match reference spectra	Conforms
Solubility	Freely soluble in water	Conforms
Insoluble Material	≤ 0.005%	0.003%
Residue on Ignition	≤ 0.001%	0.0086%
Chloride	≤ 0.001%	< 0.001%
Oxalate	To pass test	Conforms
Phosphate	≤ 5ppm	< 5ppm
Sulfur Compounds	≤ 0.005%	< 0.005%
Heavy Metals	≤ 5ppm	< 5ppm
Iron	≤ 0.001%	< 0.001%

Date: December 14, 2018

Approved by:

John Grubb, PhD

Gojira Fine Chemicals, LLC

John Grubb

Quality Manager

Tel: 440-539-7033 Fax: 888-211-5523

john@gojirafc.com