

Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs 5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146 www.gojirafc.com • sales@gojirafc.com

Certificate of Analysis

Sodium Hydroxide ACS

SH1001 0703804 1310-73-2 Caustic soda NaOH 40.00
40.00 15°C – 30°C March 6, 2018 March 5, 2023

Test	Specification	Result
Appearance	White pellets	Conforms
Assay	≥ 97.0%	99.44%
Identification	Gives the reaction of Sodium	Conforms
	Gives a pH minimum of 11.0	Conforms
Sodium Carbonate	≤ 1.0%	0.55%
Chloride	≤ 0.005%	< 0.005%
Nitrogen Compounds	≤ 0.001%	< 0.001%
Phosphate	≤ 0.001%	< 0.001%
Sulfate	≤ 0.003%	< 0.003%
Heavy Metals (As Ag)	≤ 0.002%	< 0.002%
Iron	≤ 0.001%	< 0.001%
Mercury	≤ 0.1ppm	< 0.1ppm
Nickel	≤ 0.001%	< 0.001%
Calcium	≤ 0.005%	< 0.005%
Magnesium	≤ 0.002%	< 0.002%
Potassium	≤ 0.02%	< 0.02%

Approved by:

John grubb

John Grubb, PhD Gojira Fine Chemicals, LLC Quality Manager Tel: 440-539-7033 Fax: 888-211-5523 john@gojirafc.com

Date: July 6, 2018