

Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs

5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146
www.gojirafc.com ● sales@gojirafc.com

Certificate of Analysis

Dextran 70 EP

Date of Manufacture: December 1, 2018 **Retest Date:** November 30, 2020

Test	Specification	Result
Appearance	White powder	Conforms
Molecular Weight	64,000 – 76,000	65,100
Identification		
FTIR	To match reference spectra	Conforms
Specific Rotation	+195.0° to +210.0°	+199.0°
Solubility	Very soluble in water, very slightly in alcohol	Conforms
Appearance of Solution	Clear & colorless	Conforms
Acidity or Alkalinity	Reaction with phenolphthalein, NaOH & HCl	Conforms
Moisture (LOD)	≤ 7.0%	5.2%
Sulfated Ash	≤ 0.3%	0.1%
Nitrogen	≤ 110ppm	< 110ppm
Residual Solvents		
Ethanol	≤ 0.5%	0.01%
Methanol	≤ 0.05%	Not detected
Other	≤ 0.5%	< 0.5%
Heavy Metals	≤ 10ppm	< 10ppm
Microbial Count	≤ 100cfu/g	< 10cfu/g
Endotoxin	≤ 16IU/g	< 16IU/g
Contamination	Negative	Negative
This lot meets the specifications for EP9.0.		

Approved by:

John Grubb

Date: March 15, 2019

John Grubb, PhD

Gojira Fine Chemicals, LLC

Quality Manager

Tel: 440-539-7033 Fax: 888-211-5523

john@gojirafc.com