

Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs 5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146 www.gojirafc.com • sales@gojirafc.com

Certificate of Analysis

Manganese Chloride Tetrahydrate ACS/USP

Test	Specification	Result
Appearance	Light pink crystals	Conforms
Assay	98.0 - 101.0%	99.86%
Identification	To meet requirements	Conforms
Solubility (10%)	Clear, light pink	Conforms
pH (5%)	3.5 – 6.0	4.54
Moisture (LOD)	36.0 – 38.5%	36.32%
Insoluble Matter	≤ 0.005%	0.003%
Sulfate	≤ 0.005%	< 0.005%
Calcium	≤ 0.005%	0.0008%
Magnesium	≤ 0.005%	0.0041%
Potassium	≤ 0.01%	0.0011%
Sodium	≤ 0.05%	0.0004%
Substances Not Precipitated by Ammonium Sulfide	≤ 0.2%	0.17%
Heavy Metals	≤ 5ppm	< 5ppm
Iron	≤ 5ppm	< 5ppm
Zinc	To meet requirements	Conforms
Lead	≤ 4mg/kg	2mg/kg
Organic Volatile Impurities	To meet requirements	Conforms

Approved by:

hn grubb

Date: May 9, 2018

John Grubb, PhD Gojira Fine Chemicals, LLC Quality Manager Tel: 440-539-7033 Fax: 888-211-5523 john@gojirafc.com

For research or further manufacturing. Not for drug, clinical or a food use in humans or animals.



Gojira Fine Chemicals, LLC Quality Products & Services Meeting Customer Needs 5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146 www.gojirafc.com • sales@gojirafc.com