

Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs
5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146
www.qojirafc.com • sales@qojirafc.com

Specification

Sodium Phosphate Dibasic Anhydrous ACS/USP/FCC/EP/BP

Catalog Number: SP1019 CAS Number: 7558-79-4

Synonym(s): Disodium hydrogen phosphate, Disodium phosphate, Sodium

hydrogenphosphate

Molecular Formula: Na_2HPO_4 Molecular Weight:141.96Storage: $15^{\circ}C - 30^{\circ}C$

Retest Period: Five years from the date of manufacture

Test	Specification
Appearance (ACS)	White to off-white powder
Assay (Dry Basis, ACS)	≥ 99.0%
Assay (Dry Basis, USP)	98.0 – 100.5%
Assay (Dry Basis, FCC)	≥ 98.0%
Assay (Dry Basis, EP/BP)	98.0 – 101.0%
Identification (ACS)	To pass test
Identification (USP)	To pass tests
Identification (FCC)	To pass tests
Identification (EP/BP)	
A	To pass test
В	To pass test
C	To pass test
D	To pass test
Appearance of Solution (EP)	To pass test
Solubility (USP, FCC, EP/BP)	To pass test
pH (5%, ACS)	8.7 – 9.3
Moisture (LOD, ACS)	≤ 0.2%
Moisture (LOD, USP)	≤ 5.0%
Moisture (LOD, FCC)	≤ 5.0%
Moisture (EP/BP)	≤ 1.0%
Insoluble Matter (ACS)	≤ 0.01%
Insoluble Substances (USP)	≤ 0.4%
Insoluble Substances (FCC)	≤ 0.2%
Reducing Substances (EP/BP)	To pass test
Monosodium Phosphate (EP/BP)	≤ 2.5%
Pyrophosphate (FCC)	≤ 2.0%
Chloride (ACS)	≤ 0.002%
Chloride (USP)	≤ 0.06%
Chloride (EP/BP)	≤ 200ppm
Sulfate (ACS)	≤ 0.005%
Sulfate (USP)	≤ 0.2%



Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs 5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146

www.gojirafc.com • sales@gojirafc.com

Date: October 16, 2018

Sulfate (EP/BP)	≤ 500ppm
Heavy Metals (ACS)	≤ 0.001%
Heavy Metals (USP)	≤ 20ppm
Heavy Metals (EP/BP)	≤ 10ppm
Arsenic (USP)	≤ 16ppm
Arsenic (FCC)	≤ 3mg/kg
Arsenic (EP/BP)	≤ 2ppm
Fluoride (FCC)	≤ 0.005%
Iron (ACS)	≤ 0.002%
Iron (EP/BP)	≤ 20ppm
Lead (FCC)	≤ 4mg/kg
Endotoxin (2.3mg/mL, USP)	≤ 0.06EU/mL
No class 1,2,3 or solvents other than water are used in the manufacture of the product.	

Approved: John Grubb

John Grubb, PhD Gojira Fine Chemicals Quality Manager

Tel: 440-539-7033, Fax: 888-211-5523

docsupport@gojirafc.com