# SAFETY DATA SHEET

Revision Date 05/23/2016 Print Date 07/13/2017

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Sodium Selenite Pentahydrate

Product Number : SS1006

CAS-No. : 26970-82-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Gojira Fine Chemicals, LLC

5386 Majestic Parkway, Suite 7 Bedford Heights, OH 44146 USA

Telephone : 440-252-5397

Email : docsupport@gojirafc.com

Fax : 888-211-5523

1.1 Emergency telephone number

Emergency Phone # : 800-255-3924 (Chem-Tel, Contract# MIS7318160)

## 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Skin irritation (Category 2), H315

Eye irritation (Category 2), H315

Skin sensitisation (Category 1), H317

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H300 + H330 Fatal if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse

mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

## **Hazardous components**

Component	Classification	Concentration
Sodium selenite		
	Acute Tox. 2; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; Aquatic Acute 2; Aquatic Chronic 2; H300 + H330, H315, H317, H319, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder

# 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sodium selenite	26970-82-1	TWA	0.200000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.200000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Respiratory Tract irritation  Eye irritation		
		TWA	0.200000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.2 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation		
		TWA	0.2 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

## **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance Form: powder a)

Colour: white to almost white

Odour odourless b)

Odour Threshold No data available pН No data available d)

Melting point/freezing e)

point

Melting point/range: > 350 °C (> 662 °F) - lit.

Initial boiling point and

boiling range

No data available

Flash point No data available h) Evaporation rate No data available Flammability (solid, gas) not auto-flammable

Upper/lower flammability or explosive limits No data available

Vapour pressure < 0.00133 hPa (< 0.00100 mmHg) at 20 °C (68 °F)

I) Vapour density No data available m) Relative density No data available

898 g/l at 25 °C (77 °F) - soluble n) Water solubility

Partition coefficient: n-

octanol/water

No data available

Auto-ignition > 400 °C (> 752 °F) at 1,013.25 hPa (760.00 mmHg)

temperature

No data available

Decomposition temperature

r) Viscosity No data available Explosive properties No data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

# 9.2 Other safety information

No data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong acids

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sodium oxides, Selenium/selenium oxides Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 7 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea. Diarrhoea

LD50 Oral - Rat - male - 7 mg/kg

LC50 Inhalation - Rat - male and female - 4 h - > 0.052 - 0.51 mg/l

Dermal: No data available Dermal: No data available

LD50 Intravenous - Rat - 3 mg/kg

LD50 Parenteral - Rat - 6.57 mg/kg

LD50 Subcutaneous - Mouse - 13 mg/kg

LD50 Intravenous - Mouse - 5 mg/kg

Remarks: Peripheral Nerve and Sensation:Flaccid paralysis without anesthesia (usually neuromuscular blockage). Cardiac:Other changes. Lungs, Thorax, or Respiration:Other changes.

LD50 Intracervical - Mouse - 0.3 mg/kg

Remarks: Peripheral Nerve and Sensation:Flaccid paralysis without anesthesia (usually neuromuscular blockage). Behavioral:Change in motor activity (specific assay). Lungs, Thorax, or Respiration:Dyspnea.

LD50 Intravenous - Dog - 1.916 mg/kg

Remarks: Cardiac:Arrythmias (including changes it conduction). Lungs, Thorax, or Respiration:Respiratory stimulation. Diarrhoea

LD50 Intramuscular - Rabbit - 2.53 mg/kg

LD50 Parenteral - Chicken - 8.5 mg/kg

LD50 Intramuscular - Domestic Animals - 1.533 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes.

Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

# Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Irritating to skin. (OECD Test Guideline 439)

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

- Mouse

May cause allergic skin reaction.

(OECD Test Guideline 429)

## Germ cell mutagenicity

reverse mutation assay Salmonella typhimurium

Result: negative

Mouse - male Result: negative

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

# **Additional Information**

RTECS: Not available

Salivation, Tremors, Alopecia., Vomiting, Dermatitis

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 2.75 mg/l - 96.0 h

Toxicity to daphnia and

other aquatic invertebrates

LC50 - Daphnia magna (Water flea) - 0.25 mg/l - 48 h

Toxicity to algae static test EC50 - Chlamydomonas reinhardtii (green algae) - 6.32 mg/l - 96 h

(OECD Test Guideline 201)

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 120 d

- 10 µg/l

Bioconcentration factor (BCF): 1,850

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

## **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2630 Class: 6.1 Packing group: I

Proper shipping name: Selenites (Sodium selenite)

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2630 Class: 6.1 Packing group: I EMS-No: F-A, S-A

Proper shipping name: SELENITES (Sodium selenite)

Marine pollutant:yes

**IATA** 

UN number: 2630 Class: 6.1 Packing group: I

Proper shipping name: Selenites (Sodium selenite)

## 15. REGULATORY INFORMATION

## **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Sodium selenite 10102-18-8 2008-11-03

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision
Sodium selenite 10102-18-8 Date 2008-

10102-10-0 Date 200

SARA 311/312 Hazards

Acute Health Hazard

**Massachusetts Right To Know Components** 

Sodium selenite CAS-No. Revision Date 10102-18-8 2008-11-03

**Pennsylvania Right To Know Components** 

Sodium selenite CAS-No. Revision Date 10102-18-8 2008-11-03

**New Jersey Right To Know Components** 

Sodium selenite CAS-No. Revision Date 10102-18-8 2008-11-03

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation H300 Fatal if swallowed.

H300 + H330 Fatal if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

**HMIS Rating** 

Health hazard: 4
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

**NFPA Rating** 

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 0

#### **Further information**

The above information is believed to be accurate and represents the best information currently available to Gojira Fine Chemicals. However, we make no warranty or merchantability or any other warranty, express or Implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Gojira Fine Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Gojira Fine Chemicals has been advised of the possibility of such damages.