# GOJIRA FINE CHEMICALS, LLC

gojirafc.com

## SAFETY DATA SHEET

Version 4.8 Revision Date 05/27/2016 Print Date 10/04/2019

1. PF	RODUCT AND COMPANY I	IDENTIFICATION	
1.1	Product identifiers Product name	<sup>:</sup> Cadmium chloride hemi(pentahydrate)	
	Product Number	: CC1013	
	CAS-No.	: 7790-78-5	
1.2	Relevant identified uses	s of the substance or mixture and uses advised against	
	Identified uses	: Laboratory chemicals, Synthesis of substances	
1.3	B Details of the supplier of the safety data sheet		
	Company	: Gojira Fine Chemicals 5386 Majestic Parkway, Suite 7 Bedford Heights, OH 44146	
	Telephone	:440-252-5397	
	Email	:docsupport@gojirafc.com	
1.4	Fax Emergency telephone n	:888-211-5523	
1.4			
	Emergency Phone #	: 800-255-3924 (ChemTel, Contract # MIS7318160)	
2. H/	<b>ZARDS IDENTIFICATION</b>		

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 1), H330 Germ cell mutagenicity (Category 1B), H340 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure (Category 1), H372 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P403 + P233 P405	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 Substances

Formula	:	$CdCl_2 \cdot 2.5H_2O$
Molecular weight	:	228.36 g/mol
CAS-No.	:	7790-78-5
EC-No.	:	233-296-7
Index-No.	:	048-008-00-3

## Hazardous components

Component	Classification	Concentration		
Cadmium chloride hemipentahydrate Included in the Candidate List of Substances of Very High				
Concern (SVHC) according to Regulation (EC) No. 190	07/2006 (REACH)			
	Acute Tox. 3; Acute Tox. 1;	<= 100 %		
	Muta. 1B; Carc. 1B; Repr. 1B;			
	STOT RE 1; Aquatic Acute 1;			
	Aquatic Chronic 1; H301,			
	H330, H340, H350, H360,			
	H372, H410			

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic. Handle under inert gas. Protect from moisture. Air sensitive. Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Cadmium chloride hemipentahydrate	7790-78-5	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	(see BEI® s Suspected h	age for which there is	a Biological Exposure Index or Indices
		varies TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		(see BEI® s	age for which there is	a Biological Exposure Index or Indices
		Potential Oc See Append	cupational Carcino	ogen
			cupational Carcine	ogen
		PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
		cadmium co the Occupat related indus	d applies to all oc mpounds, in all fo ional Safety and H	cupational exposures to cadmium and rms, and in all industries covered by lealth Act, except the construction- overed under 29 CFR 1926.63.
		PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
		cadmium co the Occupat related indus	mpounds, in all fo ional Safety and F	cupational exposures to cadmium and rms, and in all industries covered by lealth Act, except the construction- overed under 29 CFR 1926.63. arcinogen
				(TLV)
		(see BEI® s	for which there is	a Biological Exposure Index or Indices
		TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		(see BEI® s	for which there is	a Biological Exposure Index or Indices
		PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens
		cadmium co the Occupat related indus OSHA speci	mpounds, in all fo ional Safety and H stries, which are c fically regulated ca	cupational exposures to cadmium and rms, and in all industries covered by lealth Act, except the construction- overed under 29 CFR 1926.63. arcinogen
		See Append	cupational Carcine lix A	оден

	PEL	0.005 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
	see Sections	51532 & 5207	

## Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium chloride hemipentahydrate	7790-78-5	cadmium	5.0000 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	0.0050 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			
		cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Not critical	•		
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

## 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	13 hPa (10 mmHg) at 656 °C (1,213 °F)
k) I)	Vapour pressure Vapour density	13 hPa (10 mmHg) at 656 °C (1,213 °F) No data available
I)	Vapour density	No data available
l) m)	Vapour density Relative density	No data available 3.327 g/cm3
l) m) n)	Vapour density Relative density Water solubility Partition coefficient: n-	No data available 3.327 g/cm3 No data available
l) m) n) o)	Vapour density Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition	No data available 3.327 g/cm3 No data available No data available
l) m) n) o) p)	Vapour density Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition	No data available 3.327 g/cm3 No data available No data available No data available
l) m) n) o) p) q)	Vapour density Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	No data available 3.327 g/cm3 No data available No data available No data available No data available
l) m) n) o) p) q) r)	Vapour density Relative density Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity	No data available 3.327 g/cm3 No data available No data available No data available No data available No data available

#### No data available

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

9.2

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### **10.3 Possibility of hazardous reactions** No data available

- **10.4** Conditions to avoid Air Avoid moisture.
- **10.5** Incompatible materials Oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Cadmium/cadmium oxides Other decomposition products - No data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 665 mg/kg

Dermal: No data available

No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

## Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects

## Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer.

Possible human carcinogen

IARC:	1 - Group 1: Carcinog	genic to humans (Cadmium	chloride hemipentahydrate)

1 - Group 1: Carcinogenic to humans (Cadmium chloride hemipentahydrate)

NTP: Known to be human carcinogen (Cadmium chloride hemipentahydrate)

Known to be human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Cadmium chloride hemipentahydrate)

OSHA: 1910.1027 (Cadmium chloride hemipentahydrate)

OSHA specifically regulated carcinogen (Cadmium chloride hemipentahydrate)

## **Reproductive toxicity**

May cause congenital malformation in the fetus. Presumed human reproductive toxicant

May cause reproductive disorders.

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No data available

## **Additional Information**

RTECS: EV0178000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

## **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

## DOT (US)

UN number: 2570 Class: 6.1 Packing group: III Proper shipping name: Cadmium compounds (Cadmium chloride hemipentahydrate) Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

## IMDG

UN number: 2570 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: CADMIUM COMPOUND (Cadmium chloride hemipentahydrate) Marine pollutant:yes IATA UN number: 2570 Class: 6.1 Packing group: III Proper shipping name: Cadmium compound (Cadmium chloride hemipentahydrate)

## **15. REGULATORY INFORMATION**

## SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Cadmium chloride hemipentahydrate	7790-78-5	1993-04-24
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Cadmium chloride hemipentahydrate	CAS-No. 7790-78-5	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Cadmium chloride hemipentahydrate	CAS-No. 7790-78-5	Revision Date 1993-04-24
New Jersey Right To Know Components		
Cadmium chloride hemipentahydrate	CAS-No. 7790-78-5	Revision Date 1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the State of California to cause cancer. Cadmium chloride hemipentahydrate	CAS-No. 7790-78-5	Revision Date 1987-10-01
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	CAS-No. 7790-78-5	Revision Date 1987-10-01
Cadmium chloride hemipentahydrate		

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **HMIS Rating**

Health hazard:	4
Chronic Health Hazard: Flammability:	0
Physical Hazard	0

## **NFPA** Rating

Health hazard:	4
Fire Hazard:	0
Reactivity Hazard:	0

## **Further information**

The above information is believed to be accurate and represents the best information currently available to Gojira Fine Chemicals. However, we make no warranty or merchantability or any other warranty, express or Implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Gojira Fine Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Gojira Fine Chemicals has been advised of the possibility of such damages.

Version: 4.8

Revision Date: 05/27/2016

Print Date: 10/04/2019