GOJIRA FINE CHEMICALS, LLC

gojirafc.com

SAFETY DATA SHEET

Version 4.7 Revision Date 05/27/2016 Print Date 10/04/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Manganese(II) sulfate monohydrate

Product Number : MS1001, MS1007

CAS-No. : 10034-96-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Gojira Fine Chemicals

5386 Majestic Parkway, Suite 7 Bedford Heights,

Telephone OH 44146 :440-252-5397

Email :docsupport@gojirafc.com

Fax :888-211-5523

1.4 Emergency telephone number

Emergency Phone # : 800-255-3924 (ChemTel, Contract # MIS7318160)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : MnO₄S · H₂O Molecular weight : 169.02 g/mol CAS-No. : 10034-96-5 EC-No. : 232-089-9 Index-No. : 025-003-00-4

Hazardous components

Component	Classification	Concentration				
Manganese Sulfate Monohydrate						
	STOT RE 2; Aquatic Acute 2; Aquatic Chronic 2; H373, H411	<= 100 %				

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Hygroscopic. Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

- 1	o paramore	Components with workplace control parameters						
CAS-No.	Value	Control parameters	Basis					
10034-96-5	С	5.000000	USA. Occupational Exposure Limits					
		ma/m3	(OSHA) - Table Z-1 Limits for Air					
			Contaminants					
Remarks	Ceiling limit is to be determined from breathing-zone air samples.							
	TWA	0.200000	USA. ACGIH Threshold Limit Values					
		mg/m3	(TLV)					
	Central Nervous System impairment							
	Adopted values or notations enclosed are those for which changes							
	are proposed in the NIC							
	See Notice of Intended Changes (NIC)							
	varies							
	TWA	1.000000	USA. NIOSH Recommended					
		mg/m3	Exposure Limits					
	ST	3.000000	USA. NIOSH Recommended					
		mg/m3	Exposure Limits					
	TWA	0.100000	USA. ACGIH Threshold Limit Values					
		mg/m3	(TLV)					
	Central Nervous System impairment							
	2015 Adoption varies							
	TWA	0.020000	USA. ACGIH Threshold Limit Values					
		mg/m3	(TLV)					
	Central Nervous System impairment 2015 Adoption varies							
	CAS-No. 10034-96-5	CAS-No. Value 10034-96-5 C Remarks Ceiling limit in TWA Central Nerval Adopted valuate proposed See Notice of varies TWA ST TWA Central Nerval	CAS-No. Value Control parameters 10034-96-5 C 5.000000 mg/m3 Remarks Ceiling limit is to be determined TWA 0.200000 mg/m3 Central Nervous System impair Adopted values or notations er are proposed in the NIC See Notice of Intended Change varies TWA 1.000000 mg/m3 ST 3.000000 mg/m3 TWA 0.100000 mg/m3 Central Nervous System impair 2015 Adoption varies TWA 0.020000 mg/m3 Central Nervous System impair 2015 Adoption Varies TWA 0.020000 mg/m3 Central Nervous System impair 2015 Adoption					

С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants			
Ceiling lin	Ceiling limit is to be determined from breathing-zone air samples.				
TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
Central N	Central Nervous System impairment Not classifiable as a human carcinogen varies				
TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
	Central Nervous System impairment Not classifiable as a human carcinogen varies				
TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits			
ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits			
PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: powder a) Appearance

Colour: light red

b) Odour No data available Odour Threshold No data available c)

d) рН 3.0 - 3.5 at 50 g/l at 20 °C (68 °F)

e) Melting point/freezing

point

700 °C (1,292 °F)

Initial boiling point and boiling range

No data available

q) Flash point No data available No data available h) Evaporation rate

Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available m) Relative density No data available No data available n) Water solubility o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

r) Viscosity No data available No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Manganese/manganese oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Hamster

ovary

Cytogenetic analysis

Hamster

ovary

Sister chromatid exchange

Mouse

Micronucleus test

Mouse

Cytogenetic analysis

Mouse

sperm

Carcinogenicity

Carcinogenicity - Mouse - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Endocrine:Thyroid tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Reproductive toxicity - Mouse - male - Oral

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: OP0893500

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Prolonged or repeated inhalation may cause:, Pneumonia To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese Sulfate

Monohydrate)
Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Manganese Sulfate Monohydrate)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 10034-96-5 2007-07-01

Manganese Sulfate Monohydrate

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No. Revision Date

Manganese Sulfate Monohydrate 10034-96-5 2007-07-01

New Jersey Right To Know Components

CAS-No. Revision Date

Manganese Sulfate Monohydrate 10034-96-5 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

H373 May cause damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
STOT RE Specific target organ toxicity - repeated exposure

HMIS Rating

Health hazard: 0
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0

Reactivity Hazard: 0

Further information

The above information is believed to be accurate and represents the best information currently available to Gojira Fine Chemicals. However, we make no warranty or merchantability or any other warranty, express or Implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Gojira Fine Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Gojira Fine Chemicals has been advised of the possibility of such damages.

Version: 4.7 Revision Date: 05/27/2016 Print Date: 10/04/2019