gojirafc.com

# SAFETY DATA SHEET

Revision Date 06/02/2016 Print Date 02/23/2017

1. PF	RODUCT AND COMPANY	IDENTIFICATION
1.1	Product identifiers	
	Product name	Zinc Chloride
	Product Number	: ZC1001/ZC1002
	CAS-No.	: 7646-85-7
1.2	Relevant identified use	s of the substance or mixture and uses advised against
	Identified uses	: Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of	of the safety data sheet
	Company	: Gojira Fine Chemicals, LLC 5386 Majestic Parkway, Suite 7 Bedford Heights, OH 44146 USA
	Telephone	: 440-252-5397
	Email	: <u>docsupport@gojirafc.com</u> : 888-211-5523
	Fax	
1.1	Emergency telephone r	lumber
	Emergency Phone #	: 800-255-3924 (Chem-Tel, Contract# MIS7318160)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Hazard statement(s)	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P260	Do not breathe dust or mist.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1 Substances

Formula	:	Cl <sub>2</sub> Zn
Molecular weight	:	136.30 g/mol
CAS-No.	:	7646-85-7
EC-No.	:	231-592-0
Index-No.	:	030-003-00-2

## Hazardous components

Classification	Concentration
Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302,	<= 100 %
-	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1;

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **4. FIRST AID MEASURES**

## 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture No data available

## **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

The product itself does not burn.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Handle under nitrogen, protect from moisture. Store under nitrogen. Keep container tightly closed in a dry and wellventilated place.

strongly hygroscopic

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Zinc chloride	7646-85-7	TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	1.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Resp	iratory Tract & Low	er Respiratory Tract irritation
		STEL	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Resp	iratory Tract & Low	ver Respiratory Tract irritation

	TWA	1.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	ST	2.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	TWA	1.000000	USA. Occupational Exposure Limits
		mg/m3	(OSHA) - Table Z-1 Limits for Air
		_	Contaminants
	TWA	1.000000	USA. ACGIH Threshold Limit Values
		mg/m3	(TLV)
	Upper Respi	ratory Tract irritation	on
	Lower Respi	ratory Tract irritation	on
	STEL	2.000000	USA. ACGIH Threshold Limit Values
		mg/m3	(TLV)
	Upper Respi	ratory Tract irritation	on
	Lower Respi	ratory Tract irritation	on
	TWA	1.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	ST	2.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	PEL	1 mg/m3	California permissible exposure
			limits for chemical contaminants
			(Title 8, Article 107)
	STEL	2 mg/m3	California permissible exposure
			limits for chemical contaminants
			(Title 8, Article 107)

## 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Beads Colour: white
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	5 at 100 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 293 °C (559 °F)
f)	Initial boiling point and boiling range	732 °C (1,350 °F) at 1,013 hPa (760 mmHg)
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	1 hPa (1 mmHg) at 428 °C (802 °F)
I)	Vapour density	No data available
m)	Relative density	2.907 g/cm3
n)	Water solubility	soluble
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety information	
	Bulk density	1,400 - 1,800 kg/m3

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

9.2

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid Exposure to moisture
- **10.5 Incompatible materials** Strong oxidizing agents
- 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Zinc/zinc oxides Other decomposition products - No data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 350 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity

No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: ZH1400000

Zinc chloride and its aqueous solutions are corrosive to the eyes and skin. They cause conjunctivitis and corneal burns in the eye and produce chemical burns, particularly on areas where the skin is broken. Ingestion produces a corrosive

action to the mouth, throat, and digestive tract which can include symptoms of stomach pain, nausea, vomiting, bloody diarrhea, swelling of the throat, blood in the urine, and shock. Inhalation irritates the nose and throat producing cough, chest pain, bluish skin, fever, nausea and vomiting, shortness of breath, difficulty in breathing (onset may be delayed by several hours), and pneumonia. Fatalities have occurred by inhalation and ingestion. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	LC50 - Cyprinus carpio (Carp) - 0.4 - 2.2 mg/l - 96.0 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.2 mg/l  - 48 h
Toxicity to algae	Growth inhibition LOEC - Pseudokirchneriella subcapitata - 12.5 mg/l $$ - 96 h

- 12.2 Persistence and degradability No data available
- **Bioaccumulative potential** 

   Bioaccumulation
   Pimephales promelas (fathead minnow) 63 d

Bioconcentration factor (BCF): 21,000

12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

#### **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### DOT (US)

UN number: 2331 Class: 8 Packing group: III Proper shipping name: Zinc chloride, anhydrous Reportable Quantity (RQ): 1000 lbs Marine pollutant:yes Poison Inhalation Hazard: No

## IMDG

UN number: 2331 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: ZINC CHLORIDE, ANHYDROUS Marine pollutant:yes IATA UN number: 2331 Class: 8 Packing group: III Proper shipping name: Zinc chloride, anhydrous

## **15. REGULATORY INFORMATION**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

The following components are subject to reporting levels establis	hed by SARA Title III	, Section 313:
<b>-</b>	CAS-No.	Revision Date
Zinc chloride	7646-85-7	2007-03-01
SARA 311/312 Hazards Acute Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Zinc chloride	7646-85-7	2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Zinc chloride	7646-85-7	2007-03-01
New Jersey Right To Know Components		
Zinc chloride	CAS-No. 7646-85-7	Revision Date 2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

#### **HMIS Rating**

Health hazard: Chronic Health Hazard:	3 *
Flammability:	0
Physical Hazard	0
NFPA Rating	
NFPA Rating Health hazard:	3
-	3 0

#### **Further information**

The above information is believed to be accurate and represents the best information currently available to Gojira Fine Chemicals. However, we make no warranty or merchantability or any other warranty, express or Implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Gojira Fine Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Gojira Fine Chemicals has been advised of the possibility of such damages.