

## Gojira Fine Chemicals, LLC

Quality Products & Services Meeting Customer Needs
5386 Majestic Parkway, Suite 7, Bedford Heights, OH 44146
www.qojirafc.com • sales@qojirafc.com

## **Certificate of Analysis**

## Calcium Chloride Anhydrous ACS/FCC

Date of Manufacture: April 13, 2018
Retest Date: April 12, 2023

| Test                     | Specification              | Result     |
|--------------------------|----------------------------|------------|
| Appearance               | White hygroscopic crystals | Conforms   |
| Assay                    | ≥ 96%                      | 98.0%      |
| Identification           | To pass test               | Conforms   |
| Solubility               | Soluble in water           | Conforms   |
| Titrable Base            | ≤ 0.006mEq/g               | 0.004mEq/g |
| Acid-insoluble Matter    | ≤ 0.02%                    | < 0.02%    |
| Arsenic                  | ≤ 3ppm                     | < 3ppm     |
| Fluoride                 | ≤ 0.004%                   | < 0.004%   |
| Lead                     | ≤ 5ppm                     | 1ppm       |
| Magnesium & Alkali Salts | ≤ 5.0%                     | 1.23%      |

Date: June 14, 2018

Approved by:

John Grubb, PhD

Gojira Fine Chemicals, LLC

ohn grubb

**Quality Manager** 

Tel: 440-539-7033 Fax: 888-211-5523

john@gojirafc.com